IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A three-dimensional flexible calender molded or thermo-

formed deep molded non-woven fabric comprising a planar flexible textile non-

woven substrate that has been processed through thermo-forming or calender

molding equipment to form having a multiplicity of compressible projections

extending from the planar surface which return to their shape after being

substantially compressed, wherein the non-woven substrate is a non-

meltblown non-woven fabric, manufactured from spun-bonded or melt-bonded

filaments and/or fibers with a diameter of less than 100 microns and having

[[an]] a constant anisotrophy ratio fp between -1/2 to +1/2 throughout the

substrate to provide a generally constant random fiber orientation distribution

throughout the substrate.

2. (Canceled)

4.

(Previously Presented) The non-woven fabric recited in claim 1 wherein the 3.

substrate is wholly or partially made up of a thermoplastic fiber or polymer with

melting temperature in the range of 70 C to 450 C.

(Previously Presented) The non-woven fabric recited in claim 3 wherein the

thermoplastic polymer is a co-polyetherester elastomer with long chain ether-

ester units and short chain ester units joined head to tail through ester

linkages.

- 2 -

 (Previously Presented) The non-woven fabric recited in claim 3 wherein the thermoplastic polymer is a poly(ethylene terephthalate) or poly(trimethylene terephthlate).

- 6. (Previously Presented) The non-woven fabric recited in claim 3 wherein the thermoplastic polymer is selected from nylon 6, nylon 6,6, polypropylene or polyethylene.
- 7. (Previously Presented) The non-woven fabric recited in claim 3 wherein the thermoplastic fiber is homo-component, bicomponent, or multi-component.
- 8. (Previously Presented) The non-woven fabric recited in claim 3 wherein the thermoplastic fiber used in the substrate is selected from the group consisting of: polyesters, polyamides, thermoplastic copolyetherester elastomers, polyolefines, polyacrylates, and thermoplastic liquid crystalline polymers.
- 9. (Canceled)
- 10. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric has projections or depressions measuring 0.1 mm to 5 cm in height.
- 11. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric comprises projections or depressions measuring between0.1 mm and 100 mm in width.

- (Previously Presented) The non-woven fabric recited in claim 1 wherein the projections have a frusto-conical shape.
- 13. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric most suitably comprises filaments and/or fibers with diameters of about 1-20 microns for soft structures and 20-100 microns for more rigid structures.
- 14. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric comprises partially oriented fibers and/or filaments.
- 15. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric also contains a thermoset resin.
- 16. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric is stiffened by nesting head-to-head or head-to-tail two or more layers of said network.
- 17. (Previously Presented) The non-woven fabric recited in claim 1 wherein the non-woven fabric can be stiffened by laminating a planar nonwoven, woven or knitted or other planar structure such as a film or a polymeric or metallic sheet to the fabric.

18. (Previously Presented) The non-woven fabric recited in claim 1 wherein the fiber comprises a tipped trilobal cross-section wherein one component melts at a lower temperature.

19. (Previously Presented) The non-woven fabric recited in claim 1 wherein the fiber comprises a sheath/core cross-section wherein the sheath melts at a lower temperature than the core.

20. (Previously Presented) The non-woven fabric recited in claim 1 wherein the fiber comprises a side-by-side cross-section wherein one sheath melts at a lower temperature than the other.

21-24. (Canceled)

25. (Currently Amended) A three-dimensional flexible calender molded or thermoformed deep molded non-woven fabric comprising a molded planar flexible
textile non-woven substrate that has been processed through thermo-forming
or calender molding equipment to form having a multiplicity of compressible
projections extending from the planar surface which return to their shape after
being substantially compressed, wherein the non-woven substrate is a nonmeltblown non-woven fabric manufactured from spun-bonded or melt-bonded
filaments and/or fibers with a diameter of less than 100 microns and having
[[an]] a constant anisotrophy ratio f_p between -½ to +½ throughout the
substrate to provide a generally constant random fiber orientation distribution

throughout the substrate, and where the fiber-to-fiber crossover intersections are <u>at least</u> partially or fully fused during the molding process to provide substantial rigidity to the flexible textile substrate.

- 26. (Canceled)
- 27. (Previously Presented) The non-woven fabric recited in claim 25 wherein the substrate is wholly or partially made up of a thermoplastic fiber or polymer with melting temperature in the range of 70 C to 450 C.
- 28. (Previously Presented) The non-woven fabric recited in claim 27 wherein the thermoplastic polymer is a co-polyetherester elastomer with long chain etherester units and short chain ester units joined head to tail through ester linkages.
- 29. (Previously Presented) The non-woven fabric recited in claim 27 wherein the thermoplastic polymer is a poly(ethylene terephthalate) or poly(trimethylene terephthlate).
- 30. (Previously Presented) The non-woven fabric recited in claim 27 wherein the thermoplastic polymer is selected from nylon 6, nylon 6,6, polypropylene or polyethylene.
- 31. (Previously Presented) The non-woven fabric recited in claim 27 wherein the thermoplastic fiber is homo-component, bicomponent, or multi-component.

- 32. (Previously Presented) The non-woven fabric recited in claim 27 wherein the thermoplastic fiber used in the substrate is selected from the group consisting of: polyesters, polyamides, thermoplastic copolyetherester elastomers, polyoefines, polyacrylates, and thermoplastic liquid crystalline polymers.
- 33. (Canceled)
- 34. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric has projections or depressions measuring 0.1 mm to 5 cm in height.
- 35. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric comprises projections or depressions measuring between0.1 mm and 100 mm in width.
- 36. (Previously Presented) The non-woven fabric recited in claim 25 wherein the projections have a frusto-conical shape.
- 37. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric comprises partially oriented fibers and/or filaments.
- 38. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric also contains a thermoset resin.

39. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric is stiffened by nesting head-to-head or head-to-tail two or more layers of said fabric.

40. (Previously Presented) The non-woven fabric recited in claim 25 wherein the non-woven fabric can be stiffened by laminating a planar nonwoven, woven or knitted or other planar structure such as a film or a polymeric or metallic sheet to the fabric.

41. (Previously Presented) The non-woven fabric recited in claim 25 wherein the fiber comprises a tipped trilobal cross-section wherein one component melts at a lower temperature.

42. (Previously Presented) The non-woven fabric recited in claim 25 wherein the fiber comprises a sheath/core cross-section wherein the sheath melts at a lower temperature than the core.

43. (Previously Presented) The non-woven fabric recited in claim 25 wherein the fiber comprises a side-by-side cross-section wherein one side melts at a lower temperature than the other.

44-47. (Canceled)